


# GUTTER EXPANSION JOINT



- NOTE 1:** Endcaps are to be riveted into position. On Expansion Joint Cover, rivet one side of the joint only.
- NOTE 2:** With metals that cannot be soldered or welded, all joints, splices, corners, and endcaps must have correct sealant applied to them to ensure a water-tight application.
- NOTE 3:** One expansion joint should be installed for every 40-50 feet of gutter being installed. Allow for a 1-inch space between expansion areas.
- NOTE 4:** Drainage slope and drain sizes are to be determined by local building code requirements and are the responsibility of the contractor to follow.

## PRINT APPROVED BY:

(SIGNATURE)

(DATE)

A SIGNED PRINT APPROVAL SIGNIFIES A CUSTOMER HAS VERIFIED ALL DIMENSIONS, SIZES, QUANTITIES, AND MATERIAL TYPES.

FABRICATION WILL PROCEED ONLY AFTER RECEIPT OF SIGNED PRINT APPROVAL

## MATERIAL:

- |   |   |
|---|---|
| <input type="checkbox"/> 26GA GALV. STEEL | <input type="checkbox"/> .032" ALUMINUM       |
| <input type="checkbox"/> 24GA GALV. STEEL | <input type="checkbox"/> .040" ALUMINUM       |
| <input type="checkbox"/> 22GA GALV. STEEL | <input type="checkbox"/> .050" ALUMINUM       |
| <input type="checkbox"/> 16OZ COPPER      | <input type="checkbox"/> .063" ALUMINUM       |
| <input type="checkbox"/> 20OZ COPPER      | <input type="checkbox"/> 26GA STAINLESS STEEL |
| <input type="checkbox"/> 24OZ COPPER      | <input type="checkbox"/> 24GA STAINLESS STEEL |

COLOR: \_\_\_\_\_

## QUANTITIES:

\_\_\_\_\_ TOTAL PCS

## NOTES:

- ALL FASTENERS SUPPLIED BY OTHERS.
- UNLESS OTHERWISE NOTED, FABRICATION OF MITERS AND ACCESSORIES ARE FURNISHED STANDARD USING PRE-PAINTED RIVETS, THEN CAULKED.

## PROJECT INFORMATION:

\_\_\_\_\_  
(PROJECT NAME)

\_\_\_\_\_  
(ARCHITECT)

\_\_\_\_\_  
(CUSTOMER)

\_\_\_\_\_  
(REPRESENTATIVE/DISTRIBUTOR)

DATE: \_\_\_\_\_

SHEET \_\_\_\_\_ OF \_\_\_\_\_



**RDCA**  
ROOF DRAINAGE COMPONENTS & ACCESSORIES

Roof Drainage Components & Accessories  
60 Don Westbrook Ave., North  
Jasper, GA 30143  
Phone: 706-692-7333  
Fax: 706-692-7335  
Email: sales@rdca.com